

University of Dundee

## Identifying Tweets from Syria Refugees Using a Random Forest Classifier

Reel, Smarti; Wong, Kam Cheung Patrick ; Wu, Belinda; Mostefaoui, Soraya Kouadri ; Liu, Haiming

*Published in:*

2018 International Conference on Computational Science and Computational Intelligence

*Publication date:*

2018

*Document Version*

Peer reviewed version

[Link to publication in Discovery Research Portal](#)

*Citation for published version (APA):*

Reel, S., Wong, K. C. P., Wu, B., Mostefaoui, S. K., & Liu, H. (2018). Identifying Tweets from Syria Refugees Using a Random Forest Classifier. In *2018 International Conference on Computational Science and Computational Intelligence* IEEE.

### General rights

Copyright and moral rights for the publications made accessible in Discovery Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from Discovery Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain.
- You may freely distribute the URL identifying the publication in the public portal.

### Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

# Open Research Online

---

The Open University's repository of research publications and other research outputs

## Identifying tweets from Syria refugees using a Random Forest classifier

### Conference or Workshop Item

#### How to cite:

Wong, Patrick; Reel, Smarti; Wu, Belinda; Kouadri Mostéfaoui, Soraya and Liu, Haiming (2018). Identifying tweets from Syria refugees using a Random Forest classifier. In: The 2018 International Conference on Computational Science and Computational Intelligence (CSCI), 13-15 Dec 2018, Las Vegas, USA, IEEE CPS.

For guidance on citations see [FAQs](#).

© 2018 IEEE CPS

Version: Accepted Manuscript

---

Copyright and Moral Rights for the articles on this site are retained by the individual authors and/or other copyright owners. For more information on Open Research Online's data [policy](#) on reuse of materials please consult the policies page.

---

[oro.open.ac.uk](http://oro.open.ac.uk)

# Identifying tweets from Syria refugees using a Random Forest classifier

Smarti Reel  
Health Informatics Centre  
University of Dundee  
Dundee, UK  
s.reel@dundee.ac.uk

Patrick Wong  
School of Computing and  
Communications  
Open University  
Milton Keynes, UK  
patrick.wong@open.ac.uk

Belinda Wu  
School of Politics,  
Philosophy, Economics,  
Development, Geography  
Open University, UK  
belinda.wu@open.ac.uk

Soraya Kouadri Mostefaoui  
School of Computing and  
Communications  
Open University, UK  
soraya.kouadri@open.ac.uk

Haiming Liu  
Department of Computer  
Science and Technology  
University of Bedfordshire,  
Luton, UK  
Haiming.Liu@beds.ac.uk

**Abstract**— A social unrest and violent atmosphere can force a vast number of people to flee their country. While governments and international aid organizations need migration data to inform their decisions, the availability of this data is often delayed due to the tediousness to collect and publish this data. Recent studies recognized the increasing usage of social networking platforms amongst refugees to seek help and express their hardship during their journeys. This paper investigates the feasibility of accurately extracting and identifying tweets from Syria refugees. A robust framework has been developed to find, retrieve, clean and classify tweets from Syria. This includes the development of a Random Forest classifier, which automatically determines which tweets are from Syria refugees. Testing the classifier with samples of historical Twitter data produced promising result of 81% correct classification rate. This preliminary study demonstrates the potential that refugees' messages can be accurately identified and extracted from social media data mixed with many unwanted messages, and this enables further works for studying refugee issues and predicting their migration patterns.

**Keywords**— *Social media, Syria, refugees, classification*

**Short Papers, CSCISNA**

## I. INTRODUCTION

When a large-scale disaster or conflict breaks out, vast numbers of people in the affected areas often migrate and seek refuges in safe havens elsewhere. Such huge sudden movement of people can cause complex humanitarian, social and economic issues to the refugees, the nearby and hosting countries as well as the various governmental and aid agencies. If the patterns of these migrations can be correctly understood and accurately predicted, the governments and aid agencies of the countries concerned can be better prepared to help the refugees. Recent studies have recognized the increasing use of social media such as Twitter and Facebook amongst refugees/migrants [1]. They often use social networking platforms to express the hardship and difficulties they face and report their experience, as well as using such platforms as a tool in migration planning and finding out information during their actual journeys to destined host countries, including the most up-to-date situations and regulations on the way. This creates an opportunity for studying large-scale international migrations using the social media and data analytic methods, which have been

successfully applied in modelling various human behavior such as traveling tracking [2] and Crowd dynamics [3]. However, the migration pattern predication relies heavily on accurate identification of messages from refugees. This paper therefore focuses on identifying social media messages from refugees, which was confirmed as a challenging problem due to refugees reluctant to post on open social media platforms in the fear of getting caught by their government authority or human smugglers [4]. To prevent refugees' identities from being accidentally revealed by this study, their social media messages had been anonymized by replacing their usernames with unique index numbers.

Recent studies have analyzed the trends in mobility and migration flows using geolocated twitter data. For example, Zagheni [5] investigated the use of Twitter data to analyze the international and internal migration patterns. However, such analysis is entirely dependent on the availability of geolocated data, which is often unavailable in refugees' messages due to limitations on their computing devices or other reasons.

Gillespie [4] explored the refugee media journeys through smartphones and social media networks. It obtained information on trusted sources and groups on Facebook. While some of the Facebook groups studied contained news about refugees in Syria, other groups concerned general migration issues. These groups only revealed partial information about refugees' experiences. The study also found that most of the trusted sources communicates in Arabic.

Ali [6] discussed the significance of big data for various applications and development purposes. It provided a brief background of relevant techniques to understand the applications in humanitarian development. It proposed to use predictive analytics to avoid or mitigate humanitarian emergencies before they happened.

Brouckman and Wang [7] investigated the use of supervised machine learning along with Natural Language processing methods to classify downloaded tweets (with keyword 'refugee' in four languages) using the Twitter API. They used unigram features to model the tweets and then trained five classifiers namely, - Support Vector Machines, Logistic Regression, Random Forest, Naive Bayes, and Ensemble to predict the sentiments towards refugees as either positive, negative, or neutral.

Despite the above research studies, accurately identifying social media messages from refugees remains a challenge, while this is the important step in predicting migrating patterns.

## II. METHODOLOGY

This pilot study aims to identify refugees' social media messages from data openly available on social networking platforms using data analytic techniques. Due to the public nature of Twitter data, it was chosen as the social media messages for this study. Given the large scale of human movement happened during the recent Syria crisis, it was chosen as an example for this pilot study. The main challenge of identifying refugees' messages (tweets) is that there are vast amount of messages discussing the Syria crisis from non-refugees such as journalists and the general public who are concerned with the situation in Syria. These messages compose of similar keywords to those from refugees. Therefore the main objective of this pilot study is to develop a robust framework for identifying tweets from Syria refugees and this includes processes such as finding, extracting, cleaning and labelling tweets, extracting key features from the tweets and classifying them. For this study, Syria refugees are defined as Syrians who are considering to leave Syria and seek refuge elsewhere, those are on-route to their destinations or those who have recently reached their destinations.

### A. Extraction and labelling of tweets

A number of tools were available for extracting tweets including Twitter API [8] streaming API [9], the R Project for Statistical Computing [10] and the Rselenium [11]. The Rselenium was chosen as it could be modified to extract older tweets and easy to use. A customized code for Rselenium is developed to extract tweets. The code utilizes cascading style sheets (CSS) selector function to locate and extract the given fields of tweets such as time of tweets, username and tweet content. The tweets extracted for this pilot study were from year 2011 to 2017 as the Syrian migration was more intense in this period of time. The usernames of the extracted tweets were anonymized after extraction.

The tweets were extracted based on different combinations of keywords which were expected to be used by refugees. The initial keywords used were based on general knowledge about the Syria war such as 'Syria', 'escape', 'leave', 'drowning', 'fear', 'asylum' and 'help me'. The extracted tweets were manually checked and studied during the development phase. When a refugee or potential refugees had identified, their other tweets were extracted as well for further analysis.

The extracted tweets contain anonymized username, time of tweet, retweets, replies and likes. To identify the main key words in refugees' tweets, the extracted tweets were used to form a word cloud [12]. Figure 1 shows the main keywords and their significance in the word cloud. A simple analysis indicated that Syria refugees inclined to seek asylum in Canada, Sweden and Germany. Word clouds could provide an insight about the most used terminology on twitter by refugees. Another interesting observation is that there are common spelling errors, e.g. Germani, in the extracted tweets.

These unexpected spelling errors can make the identification of refugees' tweets more difficult.



Figure 1: Word cloud highlighting important keyword associations.

Around 40 different keywords were used in various combinations to extract relevant tweets from twitter. This resulted in around 5000 tweets. The extracted tweets were cleaned by removing all non-English words such as URLs, usernames, punctuation, extra white space and symbols. For the purpose of creating a training set for identifying tweets from refugees, the cleaned tweets were manually classified into two classes and labelled as: 'refugee' and 'commentator'. The tweets labelled as "refugee" are those whose authors explicitly express their own or family's desire to escape from Syria, on- route to their destination country or reached their destination recently. The commentators are non-refugees who have an opinion on the Syria crisis, e.g. tweets from journalists and general public from outside of Syria. The training set contains 212 tweets, which were randomly chosen with an aim of having a roughly equally representatives from each of the two classes. These tweets were mostly from different authors. Out of the 212 tweets, 93 were from commentators, 119 from refugees. The tweets were labelled based on common sense. For example, if a person is showing an intention to leave a country, they will be marked as "refugee".

### B. Feature Extraction and classification

The key features of the cleaned tweets were extracted using the Bag of Words (BoW) method [13]. BoW is a natural language processing technique and can be used to categorize textual information and represent it as an unordered set of words with their respective frequencies. Each frequency of word is used as a feature. A total 107 features were extracted from the 212 tweets. The 107 BoW features along with 8 different metadata, such as the number of followers, retweets and likes, form a total of 115 features which were used for training a classifier.

A number of classification tools were considered and tested but the Random forest classifier was chosen for this study mainly due to the fact that it has the ability to compensate for

were correctly classified, but 17% of them were misclassified as tweets from refugees.

**Table 2** Confusion Matrix for 5-fold Cross Validation.

		Predicted by Classifier		
		Commentator	Refugee	Total
Manual Labelled	Commentator	89 (84%)	17 (16%)	106
	Refugee	24 (23%)	82 (77%)	106
	Total	113	99	212

From these preliminary results, it appears the random-forest classifier trained with data resampling gives significant better overall classification results. Comparing with the classifier that trained with the original data (i.e., more refugee samples), the classifier trained with data resampling significantly reduced misclassifications of commentators' tweets as refugees' (from 57% to 17%), but also mildly increase misclassifications of refugees' tweets as commentators' (from 19% to 24%). The reason for this behavior could be due to the fact that insufficient unique features in the training samples of two classes and this makes them difficult to be well distinguished from each other. This could be caused by the overlapping of key words in the two classes of tweets. Figure 2(a) and (b) shows the word clouds of the tweets from refugees and commentators respectively. It is observed that many keywords appear in both word clouds, e.g. Syria, Syrian, refuge, leav and famili. Further study is needed on the search terms and feature extraction.

		Predicted by Classifier		
		Commentator	Refugee	Total
Manual Labelled	Commentator	40 (43%)	53 (57%)	93
	Refugee	19 (16%)	100 (84%)	119
	Total	59	153	212

[illegible]

(a)

